

**BID DOCUMENT**  
**FOR**

**WARDROBE/STORAGE SPACE WORK,PAINTING& REPAIRING**  
**WORK AT SN HALL**

At

National Law University, Jodhpur

**Total Number of pages: 17(Seventeen)**

S.no	Particulars	Details
1	Name of the firm	
2	Complete address	
3	Email ID OF FIRM	
4	Mobile Number	
5	Permanent account number (PAN)	
6	GST NUMBER OF FIRM	
7	EARNEST MONEY	Rs.25,000/-
8	EARNEST MONEY DETAILS	BANK NAME:- DD NUMBER:-
9	Date of submission of tender	25/4/25 UPTO 2.00 P.M.
10	Authorized Signatory	

Check List of Documents:-

S.No	Particulars	
1	<p>Technical bid in sealed cover super scribed as “Technical Bid” with all required parameters as follows:-</p> <p>(A) Filled in bid document duly signed and stamped at the bottom of eachpage.</p> <p>(B) Annexure ‘B” (CONSENT FOR TECHNICAL SPECIFICATIONS )</p> <p>(C )Demand Draft of Rs. 25,000/- submitted as Earnest Money(D)Copy of the Income Tax PAN card of the company/ Firm (E)Copy of valid GST Registration of company/ firm</p> <p>(F)Notarized self certification for not being debarred/blacklisted as perAnnexure”A”.</p> <p><b>(G) Completion certificate of civil work(i.e new construction,repairing, renovation,work ) of total amount Rs. 10.00 lacs or more (SINGLE WORK) in anyGovernment Department or any reputed educational institution in onefinancial year out of financial years i.e 2021-22,2022-23,2023-24,24-25</b></p>	
2	<p>Price bid in Annexure C in separate sealed cover super scribed as “FinancialBid”</p>	

## **DETAILS OF TENDER CALL NOTICE**

Sealed bids are invited for WARDROBE/STORAGE SPACE WORK AT SN HALL at National Law University, Jodhpur.

Sl.No	Item	Quantity
1	Wardrobe and storage space work at SN hall at National Law University, Jodhpur.	As mentioned in schedule

Bid document for the above work can be obtained from the office of Registrar NLU, Mandore Road, Jodhpur, Rajasthan on all working days in between 10.00 A.M. to 5.0 P.M.. The bid documents can also be downloaded from University's Website ([www.nlujodhpur.ac.in/tenders.php](http://www.nlujodhpur.ac.in/tenders.php)).

Bids will be received up to 2.00 P.M. of 25/4/25 and the technical bid will be opened on the same day at 2.30 P.M in presence of the bidders or their authorized representatives if any. Opening date and time of financial bid shall be communicated subsequently after assessing the suitability and eligibility of the bidders.

## 1. Scope of Work:-

1. wardrobe work as per item specifications at National Law University, Jodhpur.

**Successful bidder shall be required to execute the work of constructing wardrobe by brick work,kota stone work as per drawing and specifications and fixing shutter and then painitng the room**

Succesful bidder shall be required to execute the work within 40 days from issueof work order.

## 2. Eligibility Criteria

The bidding concern must fulfill all the following criteria for techno-commercial qualification of the tender.

The Bidder must have valid PAN, GST number. (attach document)

The firm must not have been debarred / blacklisted by any Govt. Deptt, agency, PSUs / institution / agencies / autonomous organisations. The bidder shall submit a self certification by an authorized person duly notarized to this effect.(attach self declaration certificate duly notary attested) in the prescribed format attached asAnnexue”A”.

**The bidder must have successfully executed civil work(i.e new construction, repairing, renovation work ) of total amount Rs 10.00 or more (single work)in any Government Department or any reputed Educational institution inone financial year out of financial years i.e 2021-22,2022-23,2023-24,24-25 (attach certificate of satisfactory completion of work from concern organization)**

## 3. INSTRUCTIONS TO BIDDERS

A Bidder can submit a single bid only.

Incomplete, telegraphic or conditional bids shall not be accepted.

The contractor /firm shall not be allowed to transfer, assign, pledge or sub-contract work order/supply order under this contract to any other agency.

Prices quoted must be firm and fixed. No price variation / escalation shall be allowed during process of completion of the project.

The approved rate may be considered for future requirement with the consent of both the parties.

The bidders must sign at the bottom of each page of the bid documents at the time of submission in token of unconditional acceptance of the terms and conditions, technical specifications etc.

Valid GSTIN certificate / e-submission document duly self attested must be submitted along with the bid.

Deviations in terms and conditions, Specification of material, Inspection clause etc. will not be accepted under any condition.

Bids received late due to postal delay or otherwise will not be considered.

The bidders are required to furnish their offers in the price bid both in words & figures. In case of corrections ,if any, the original text/numerical must be clearly crossed out and re-written legibly above, below or on the side of the crossed out characters as per availability of space and the authorized person must put his dated initial under such corrections. In case of any conflict between figures and words, the lower rate shall prevail. In case of any error in calculation, corrected amount will be considered for calculation of lowest bidder

Since timely execution of works is of paramount importance, requests for extension of time shall not be entertained.

Canvassing in any manner shall not be entertained and will be viewed seriously leading to rejection of the bid.

University reserves its right to modify the bid document/details by way of amendment .Notification for Such amendment shall be notified only on university website, therefore bidders are advised to visit university website time to time.

Bids will be accepted & will be opened as per information mentioned in the notice-inviting tender. No receipt against submission of bid shall be issued by NLU, Jodhpur.

The last date of receipt of the bid is 25/4/25 upto 2.00 P.M. Sealed tenders may only dropped in the specified tender box kept in the Office of Registrar, NLU Jodhpur during office hours on working days.

Bids received after due date & time will not be considered. If due to any

reason the due date is declared as a holiday the bid will be opened on next working day at the same time.

The technical bid shall be opened on 25/4/25 at 2.30 P.M.in the office of Registrar, NLU Jodhpur, in presence of such bidders or their authorized representatives, who are present at the time of opening.

(The bid document should be submitted in two parts as detailed below:

Bids should be submitted in two separate sealed envelope as mentioned below & addressed to the Registrar, NLU Jodhpur, inside a sealed envelope super-scribed "Bid for wardrobe work should contain Technical Bid as per Annexure – B prescribed Firm Registration certificate, decleration in lieu of Earnest Money, Technical Specification, GST Registration , Commercial terms & conditions, notarized undertaking as per ANNEXURE "A" ,other bid documents duly signed & sealed, It should be super-scribed with **Part-1 Technical Bid "**. All the papers of bid documents except the price bid duly signed should be submitted in the first envelope.

Second sealed envelope (part-II) should contain Price bid as per Annexure –C in a separate sealed envelope. It should be super- scribed with **"PART II Price Bid"**. Any condition in regard to financial aspects, payments, terms of rebate etc beyond the prescribed financial terms of NLU, Jodhpur will make the bid invalid. Therefore it is in the interest of the bidders not to write anything extra in the Price Bid in Annexure-C except price.

The procedure of opening of the bid shall be as under

- 3.17.1. First envelope **"PART-1 Technical Bid"** shall be opened at the time & date mentioned in the bid notice by NLU, Jodhpur representative in the presence of bidders, who choose to be present.
- 3.17.2 Second envelope (part-II) containing Price bid shall be opened after evaluation of technical-commercial suitability of the offer by assessing responsiveness in line with the requirements mentioned in the bid document. The time for opening of second envelope (Price bid) shall be informed separately after assessing and evaluation of technical bid. Second envelope of price bid only those bidders shall be opened who qualify in the technical bid. If necessary, the firms may be called for Technical Presentation of their product as per the time intimated by NLU, Jodhpur.

**Successful bidder shall be calculated on the basis of total cost of all items as mentioned in technical bid .**

In case of supply/use of any defective material or substandard material, the materials will be rejected & it will be the responsibility of the supplier for taking back & replacing the rejected materials at their own cost. In case of non-lifting of such rejected materials within a reasonable time offered by the office it will have the right to suitably dispose off the same and forfeit the amount.

The supplied materials/execution of work should strictly comply with the specifications as mentioned in the bid, otherwise the material would be liable for rejection.

Any clarification on the technical specification and commercial terms and conditions may be clarified in writing from NLU, Jodhpur

Deviation of any commercial terms and condition and technical specification shall not be entertained under no circumstances.

Bidders may in their own interest visit the sites and undertake site visit before submitting bids. NLU, Jodhpur will not be responsible for any incidental or consequential losses of the firms while execution and till expiry of the period of maintenance.

The contractor shall abide by all laws, rules and regulations framed there under or any other statutory obligations which are in force from time to time. The contractor/firm shall indemnify the Institute from any claims in this regards.

Any losses sustained by Institute due to negligence of contractor's service in the form of loss/damage of property, will be recoverable from the contractor, as the money value shall be estimated by the Institute. The decision of the institute in this regard will be final and binding on the contractor/firm.

The Contractor/firm will adopt all safety measures /precautions while executing the work/supply. In case of any accident /causality of any personnel, involved in work/supply the complete responsibility will be borne by the contractor/firm himself and University will not be held responsible for any claim/compensation.

University may take clarification from bidder or any other and may take appropriate decision accordingly. The decision of University shall be final and binding to all.

NLU, Jodhpur does not bind itself to accept the lowest or any other tender and reserves to itself the authority to reject any or all the tenders received without the assignment of any reason. All tenders in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the tenderer shall be summarily rejected

The NLU, Jodhpur reserves its right to reject/accept any or reject all tenders at any time without assigning any reason thereof. It shall be without any liability towards the bidder.

The firm/contractor will adopt all safety measures /precautions while executing the work in relation to all material, equipment and accessories etc. University will not be responsible for any loss, theft, damage etc for any reason

#### **4. COMMERCIAL TERMS & CONDITIONS:**

##### **4.1 EARNEST MONEY:-**

**Firm/Contractor must submit the Earnest Money of Rs.25,000/-**, in the form of a Demand-draft issued by a Nationalized/Schedule Bank in favour of the Registrar, National Law University, Jodhpur payable at Jodhpur at the time of submission of tender documents. Earnest Money shall be refunded/adjusted against security deposit, if any, after award of work order, as the case may be.

In absence of earnest money, quotation of the firm shall not be entertained in any circumstances

In case of claim for exemption from deposit of Earnest money sufficient proof in support of claim for exemption of EMD as prescribed in Govt. of India Notification is to be attached with the bid



The earnest money will be forfeited if the firm denies to deposit the security amount if found lowest and university shall have the right to debar the firm from participation in future tenders of the university for the time as decided by university authority.

#### **4.2 Security Deposit:**

The successful bidder must deposit the Security amount @ 10% (Ten percent) of the ordered value with the Registrar, NLU, Jodhpur within the time frame provided in letter for depositing of security in shape of DEMAND DRAFT OR irrevocable Bank Guarantees or FDR of equivalent amount for a period of one year.

The security deposit would be forfeited, if the firm/contractor denies to execute the work or supply the ordered items as the case may be.

The security deposit would be forfeited, if the supplies are not made or work not done as per the Terms & Conditions of the purchase order/bid document.

The security deposit amount will be refunded after the period of one year without any interest from the date of completion of work /supply of entire items

#### **4.3 Payment:**

**4.3.1 Payment will be made for running bill i.e 80% of work executed at site after measurement and recommendation of EIC .**

4.3.2 However, work should not be halted (stopped)/delayed during payment process period of running bill.

**4.3.3 Final remaining 20% after report submitted by infrastructure committee constituted by university.**

4.4.4 In case supply /work is not found as per specifications of the University, whole supply/work shall be rejected.

#### **4.4 PENALTY CLAUSE:-**

(1) In case of delay in supply/execution of work without prejudice to the right to reject the bid, penalty should be imposed as decided by the competent authority.

(2) However, if there is any hindrance/barrier in execution of work from University side, then relaxation will be granted without penalty as deemed fit.

(3) In case of any false statement, incorrect or false document submitted by the firm university shall have the right to reject the bid, cancel the work order, impose the penalty, forfeit of EMD or/and security deposit, black listing of firm, withhold of payment for executed work as decided by competent authority .,

#### **Settlement of Dispute:**

All disputes pertaining to the work contract is limited to the jurisdiction of the courts at Jodhpur District, Rajasthan

Without prejudice to above, the parties reserve the right to enter into an Arbitration process in accordance with the relevant clause of Arbitration and Conciliation Act, 1996.

### **ACCEPTANCE**

I/We have carefully read and understood the above terms and conditions of the bid and agree to abide by them.

**DECLARATION REGARDING BLACKLISTING/DEBARRING FOR  
TAKING PART IN TENDER**

(To be executed & attested by Public Notary/executive Magistrate on Rs 100/-non judicial stamp paper by the Tendered]

1. \* I/We \_\_\_\_\_ of  
M/s \_\_\_\_\_ hereby declare that our  
company \_\_\_\_\_ having registered address at  
\_\_\_\_\_ has never been 'Blacklisted/debarred by any State/Central  
Govt,Department/Organization till date nor we are facing/filed any Litigation  
proceeding regarding debarring (blacklisting) with either of the above said agencies.

**OR**

1. \* I/We \_\_\_\_\_ of  
M/s \_\_\_\_\_ hereby declare that our  
company \_\_\_\_\_ having registered address at  
\_\_\_\_\_ was blacklisted or debarred by State/ Central Govt,Department/Organization  
from taking part in tenders for a period of \_\_\_\_\_ years wef  
\_\_\_\_\_ to \_\_\_\_\_, the period is over on  
\_\_\_\_\_ and now the firm /company is entitled to take part in tenders.
2. In case of above information found false, I/we are fully aware that the tender/contract  
will be rejected/cancelled by National Law University, Jodhpur, and EMD/Security  
deposit shall be forfeited.
3. In addition to the above National Law University, Jodhpur will not be responsible to  
pay the bills for any completed /partially completed work/supply.

DEPONENT

ATTESTED:

(Public Notary/executive Magistrate)

NAME:- \_\_\_\_\_

Address: \_\_\_\_\_

**\*please strike out the non applicable para**

## TECHNICAL SPECIFICATION &amp; BID

S.no	Item	Unit	Qty	CONSENT YES/NO
1	<p>Constructing cupboard/working table /storage space in half brick masonry in FPS Bricks (<b>clay bricks</b>)of class designation <b>75</b> and kota stone (25-30 mm thk.) as per drawing attached i.e constructing in total 10 feet length and 2 feet depth by constructing two vertical walls in half brick masonry (in FPS bricks with cement Sand mortar 1:6)of height 7 feet and depth 2 feet as per drawing which consists of working table area made in kota stone of size 4 feet length at 2.5 feet height from G.L. and then fixing two kota stone of size 4 feet length and 1 feet depth as an shelves</p> <p>The kota stone should rest (supported) at one end in half brick masonry and other end is embedded in wall by making groove 1.0” deep in wall.</p> <p>All grooves/jhiries done should be properly repair with patching/plaster in cement sand mortar 1:3.</p> <p>The vertical half brick masonry should be plastered on exposed sides by cement mortar 1:6 (20mm)thk.The wardrobe portion consists of size of length 3’ internal and partitions as mentioned in drawing.</p> <p>At 7 feet height kota stone is laid on top of cupboard as per required size of area 10 feet length and 2 feet width for storage space.</p> <p>Between the space of two vertical brick wall two kota stone partition be fixed on length 2 feet and depth 2 feet ,including P/f 6 feet length and 3” height kota stone skirting on front side.</p> <p><b>All kota stone front edge should be half moulded.</b></p> <p>The work as specified above and in drawing should be inclusive of all labour,material,transportation, scaffolding &amp; T&amp; P at all floor levels i.e from Ground floor to III Floor.</p> <p><b>SAMPLE IS ALSO AVAILABLE AT CAMPUS (SN HALL )</b></p>	Nos.	30	
2	<p>Providing &amp; fixing wardrobe double leaf shutter and frame made in 20 guage CR sheet with spot machine welded including holdfast,butt hinges completely finished and hamertex spray paint/Tea Grey at all floor levels i.e from Ground floor to III Floor,including making all hole,fasteners and assesories for fixing.</p> <p>The work includes providing &amp; fixing one handle and lock and one SS steel curtain rod with mirror (minimum 3 mm thk) of size 1’x4’ at one shutter including cost of frame for fixing mirror.</p> <p>The work as specified above should be inclusive of all labour,material,transportation, scaffolding &amp;T&amp; P at all floor levels i.e from Ground floor to III Floor.</p>	Sqm	70.00	
3	<p><b>Distempering</b> with oil bound washable distemper of brand (<b>Asian Paint, Nerolac, Berger, )</b>one or more coats on <b>old work</b> including scrapping,repairing with putty where ever necessary and to be applied with <b>brushes/roller only</b> including all scaffolding at all height,as per direction of Engineer in charge.</p> <p><b>Colour change</b></p>	Sqm	4000.00	

4	Painting with <b>enamel paint</b> of brand ( <b>Asian Paint, Nerolac, Berger,</b> ) one or more coats on <b>old work</b> including all scaffolding at all height, as per direction of Engineer in charge including scrapping with sand paper of iron surface.	Sqm	1000.00	
5	Applying Putty with scrapping of Make J.K./BIRLA on plastered surface including all scaffolding at all height, as per direction of Engineer in charge.(NEW plastered surface)	sqm	210.00	
6	<b>Distempering</b> with oil bound washable distemper of brand ( <b>Asian Paint, Nerolac, Berger, )</b> two or more coats on <b>new work</b> and to be applied with <b>brushes/roller only</b> including all scaffolding at all height, as per direction of Engineer in charge.	Sqm	210.00	
7	Repair to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq meter and under including cutting the patch in proper shape,raking out joints and preparing and plastering the surface of the walls/lintel/beams complete including disposal of rubbish to the dumping ground within 50 m lead with cement mortar 1:4(1 cement :4 coarse sand) including all scaffolding at all height, incl T&P etc as per direction of Engineer in charge.	sqm	50.00	
8	Providing and laying in position cement concrete including curing, compaction etc. complete in specified grade at all height 1:2:4 (1 cement: 2 coarse sand: 4 graded stone aggregate 20/10 mm nominal size).	Cum	7.00	
9	Deep grooved pointing to stone work in patches with white cement mortar 1:3 (1 white cement:3 fine sand) with matching pigment including raking of joints cleaning surface etc at all heights (from Ground floor to III rd Floor storey) including dismantling of old pointing and including cost of all scaffolding, material ,labour ,T& P etc as per direction of Engineer in charge.	Sqm	50.00	
10	Exterior Wall Painting with <b>plastic emulsion paint</b> of brand ( <b>Asian Paint, Nerolac, Berger, )</b> to give an even shade on Old Work including all scaffolding at all height including repairing with putty where ever necessary and paint to be applied with brushes/roller only.	Sqm	1300	
11	Repair to stone masonry in cement sand mortar with old and new stone	Sqm	10.00	
12	Patch repair to kota stone flooring including digging out old kota stone in regular shape and removal of rubbish etc Thickness of kota stone 20-25 mm thk over 20 mm thk base laid over and jointed with grey cement slurry . The area of each slab form 901 to 5000 sq cm	Sqm	40.00	
13	Repair of existing steel glazed doors/windows /ventilator/grill/weld mesh etc by welding ,drilling complete including cost of welding rod and hire charges of welding machine and T& P Complete.	Sqm	25.00	

## FINANCIAL BID

S.no	Item	Unit	Qty	Price per unit	Total Amount	
					Rate in figures	Rate in words
1	<p>Constructing cupboard/working table /storage space in half brick masonry in FPS Bricks (<b>clay bricks</b>)of class designation <b>75</b> and kota stone (25-30 mm thk.) as per drawing attached i.e constructing in total 10 feet length and 2 feet depth by constructing two vertical walls in half brick masonry (in FPS bricks with cement Sand mortar 1:6)of height 7 feet and depth 2 feet as per drawing which consists of working table area made in kota stone of size 4 feet length at 2.5 feet height from G.L. and then fixing two kota stone of size 4 feet length and 1 feet depth as an shelves</p> <p>The kota stone should rest (supported) at one end in half brick masonry and other end is embedded in wall by making groove 1.0” deep in wall.</p> <p>All grooves/jhiries done should be properly repair with patching/plaster in cement sand mortar 1:3.</p> <p>The vertical half brick masonry should be plastered on exposed sides by cement mortar 1:6 (20mm)thk.The wardrobe portion consists of size of length 3’ internal and partitions as mentioned in drawing.</p> <p>At 7 feet height kota stone is laid on top of cupboard as per required size of area 10 feet length and 2 feet width for storage space.</p> <p>Between the space of two vertical brick wall two kota stone partition be fixed on length 2 feet and depth 2 feet ,including P/f 6 feet length</p>	Nos.	30			

	<p>and 3” height kota stone skirting on front side.</p> <p><b>All kota stone front edge should be half moulded.</b></p> <p>The work as specified above and in drawing should be inclusive of all labour,material,transportation , scaffolding &amp; T&amp; P at all floor levels i.e from Ground floor to III Floor.</p> <p>SAMPLE IS ALSO AVAILABLE AT CAMPUS (SN HALL )</p>					
2	<p>Providing &amp; fixing wardrobe double leaf shutter and frame made in 20 guage CR sheet with spot machine welded including holdfast,butt hinges completely finished and hamertex spray paint/Tea Grey at all floor levels i.e from Ground floor to III Floor,including making all hole,fasteners and assesories for fixing.</p> <p>The work includes providing &amp; fixing one handle and lock and one SS steel curtain rod with mirror (minimum 3 mm thk) of size 1’x4’ at one shutter including cost of frame for fixing mirror.</p> <p>The work as specified above should be inclusive of all labour,material,transportation , scaffolding &amp;T&amp; P at all floor levels i.e from Ground floor to III Floor.</p>	Sqm	70.00			
3	<p><b>Distemping</b> with oil bound washable distemper of brand (Asian Paint, Nerolac, Berger,Birla )one or more coats on <b>old work</b> including scrapping,repairing with putty where ever necessary and to be applied with <b>brushes/roller only</b> including all scaffolding at all height,as per direction of Engineer in charge.</p> <p><b>Colour change</b></p>	Sqm	4000.00			

4	Painting with <b>enamel paint</b> of brand ( <b>Asian Paint, Nerolac, Berger,Birls</b> ) one or more coats on <b>old work</b> including all scaffolding at all height, as per direction of Engineer in charge including scrapping with sand paper of iron surface.	Sqm	1000.00			
5	Applying Putty with scrapping of Make J.K./BIRLA on plastered surface including all scaffolding at all height, as per direction of Engineer in charge.(NEW plastered surface)	sqm	210.00			
6	<b>Distempering</b> with oil bound washable distemper of brand ( <b>Asian Paint, Nerolac, Berger, Birla</b> ) two or more coats on <b>new work</b> and to be applied with <b>brushes/roller only</b> including all scaffolding at all height, as per direction of Engineer in charge.	Sqm	210.00			
7	Repair to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq meter and under including cutting the patch in proper shape,raking out joints and preparing and plastering the surface of the walls/lintel/beams complete including disposal of rubbish to the dumping ground within 50 m lead with cement mortar 1:4(1 cement :4 coarse sand) including all scaffolding at all height, incl T&P etc as per direction of Engineer in charge.	sqm	50.00			
8	Providing and laying in position cement concrete including curing, compaction etc. complete in specified grade at all height 1:2:4 (1 cement: 2 coarse sand: 4 graded stone aggregate 20/10 mm nominal size).	Cum	7.00			

9	Deep grooved pointing to stone work in patches with white cement mortar 1:3 (1 white cement:3 fine sand) with matching pigment including raking of joints cleaning surface etc at all heights (from Ground floor to III rd Floor storey) including dismantling of old pointing and including cost of all scaffolding, material ,labour ,T& P etc as per direction of Engineer in charge.	Sqm	50.00			
10	Exterior Wall Painting with <b>plastic emulsion paint</b> of brand ( <b>Asian Paint, Nerolac, Berger,Birla</b> ) to give an even shade on Old Work including all scaffolding at all height including repairing with putty where ever necessary and paint to be applied with brushes/roller only.	Sqm	1300			
11	Repair to stone masonry in cement sand mortar with old and new stone	Sqm	10.00			
12	Patch repair to kota stone flooring including digging out old kota stone in regular shape and removal of rubbish etc Thickness of kota stone 20-25 mm thk over 20 mm thk base laid over and jointed with grey cement slurry . The area of each slab form 901 to 5000 sq cm	Sqm	40.00			
13	Repair of existing steel glazed doors/windows /ventilator/grill/weld mesh etc by welding ,drilling complete including cost of welding rod and hire charges of welding machine and T& P Complete.	Sqm	25.00			
				TOTAL		
				TAX		
				G.TOTAL		



SN WALL

Page 17 of 17

Page 17 of 17

Kota Stone 10' x 22' x (11") T.M.W.

10'

Kota Stone 4' x 1' x 1" (T.M.W.)

1'

WORKING TABLE AREA

WADDLE AREA 3'

Kota Stone 3' x 2' 1/2'

1/2" steel Rod

Kota Stone 3' x 2'

Kota Stone 3' x 2'

Kota Stone 4' x 2' x 1" (T.M.W.)

(11")

2 1/2'

4'

2.5'

7'

Kota Stone 2'

Kota Stone 2'

TABLE SURFACE

2'

2'

3 1/2'

3 1/2'